REDEFINED & REDESIGNED UNPARALLELED PERFORMANCE CANISTER FILTERS

07



The All-New O7 series marks the 7th incarnation in nearly 4 decades of Fluval's top selling canister filter family worldwide. Not only does the latest generation incorporate the power and reliability you've come to expect from the leader in aquatic filtration, but it also features several new performance upgrades that make it up to 25% quieter and more robust, energy-efficient, flexible and easier to use than ever before.

Discover more at fluvalaquatics.com









eTEC (Efficient Technology) is at the heart of the 07 series. It's a synergistic process where forward-thinking design, cutting edge materials, and state-of-the-art manufacturing processes come together to deliver **powerful pump performance, reduced energy consumption and ultra-quiet operation**.

ITALIAN PRECISION-CRAFTED PUMP

Precise copper wound bobbin, impeller magnet, impeller fan blade, hardened alumina ceramic axle, rubber shaft mount and co-molded, high-flex polymer impeller cover result in up to 25% quieter operation.



RUBBER FEET STABILIZERS


- Redesigned and substantially enlarged
- Offers a more solid base
- Greater vibration-dampening capabilities
 Provides added capitor protection
- Provides added canister protection

RE-ENGINEERED

POWERFUL

Depending on the model selected, the 07 series generates between 145 – 383 US Gal/h (550-1,450 L/h) of constant pumping power and pressure that endures over time.





Model	Max Water Column Height
107	1.45 m
207	1.45 m
307	1.75 m
407	2.25 m

10 WATT LED

EFFICIENT

07 filters are big on power, yet small on energy consumption. The 107 and 207 models, for example, draw as little as 10 watts of electrical energy, which is **EQUIVALENT TO A SINGLE HOUSEHOLD LED LIGHTBULB!**



FUUVAL 07

FAST ACTION MAINTENANCE

AQUASTOP VALVE

- NEW ergonomic design and raised lip for smoother operation
- Extensive plastic ribbing design
- 2x stronger than previous generation





LIFT-LOCK MOTOR HEAD CLAMPS

- Single action dual locking clamps for quick release & attachment (half the clamps of most competitive filters)
- NEW fiber-reinforced material



- Redesigned requires less pumps to engage
- NEW fiber-reinforced priming handle is 7x stronger
- Larger easy grip handle provides fast, effortless start-ups
- Better performance with less fuss (can be operated with 2 fingers)



EZ-LIFT MEDIA BASKETS

- New center handle allows main media stack to be removed with 1 finger for quick media access
- No need to empty canister of water in order to remove baskets less mess





Media baskets are subdivided for more customizable options.

MAXIMUM FILTRATION CAPACITY



The 07 series utilizes every square inch of available canister volume, and positions media resourcefully to maximize media space in a compact footprint.

VERTICAL PRE-FILTER

 Fluval is the only brand to offer a vertical pre-filter orientation, which provides more surface area and better mechanical filtration

• Independent cartridge with 4 chambers for quick and convenient access



EXPANDED AUTHENTIC MEDIA OFFERING

PRE-FILTER



BIO-FOAM MAX Rippled surface pattern creates 30% more area to efficiently trap waste and debris

BIO-FOAM Traps waste and debris

BIO-FOAM+

BIOLOGICAL



Boosts beneficial bacteria growth

BIOMAX Maximum biological surface area

CHEMICAL



Removes harmful toxins and odors

Ammonia Remover
Neutralizes toxic ammonia to
prevent fish loss

CARBON







PHOSPHATE REMOVER PAD Removes excess phosphate for a clean & safe aquarium

All-natural way to acidify

aquarium water



for a clean & safe aquarium

 NITRITE REMOVER PAD

 Removes harmful nitrite

AMMONIA REMOVER PAD Neutralizes toxic ammonia to prevent fish loss

MECHANICAL





FOR BEST RESULTS



PACKED WITH FREE MEDIA INCLUDED IN FILTER PACKAGING

107	207	307	407
BIO-FOAM MAX (X2)	BIO-FOAM MAX (X2)	BIO-FOAM MAX (X2)	BIO-FOAM MAX (X2)
BIO-FOAM (X2)	BIO-FOAM (X2)	BIO-FOAM (X2)	BIO-FOAM (X2)
CARBON REMOVER (X1)	BIO-FOAM+ (X1)	BIO-FOAM+ (X2)	BIO-FOAM+ (X2)
QUICK-CLEAR (X1)	CARBON REMOVER (X1)	CARBON REMOVER (X2)	CARBON REMOVER (X4)
BIO-FOAM+ (X1)	BIO-MAX (X1)	BIO-MAX (X2)	BIO-MAX (X2)
	QUICK CLEAR (X1)	QUICK CLEAR (X2)	QUICK CLEAR (X2)



PRE-FILTER MEDIA PADS

Fluval's unique vertical pre-filter orientation provides more surface area and better mechanical filtration. Media is housed within an independent, re-loadable cartridge for quick and convenient access.

2 IN 1 BIOLOGICAL AND MECHANICAL MEDIA




- Rippled surface pattern offers up to 30% more area to efficiently trap waste and debris
- Prevents premature clogging extending life of subsequent filter media
- Complex foam construction helps maintain even & consistent water flow
- Ideal surface for growth of beneficial, nitrifying bacteria
- Custom fit with no gaps to maximize filtration efficiency
- Convenient 2-pack format
- For use in freshwater and saltwater aquariums

BIO-FOAM

- 2-in-1 media provides biological and mechanical filtration
- Effectively traps waste and debris
- Maximizes Bio-Activity by supporting beneficial bacteria growth
- · Maintains consistent water flow
- Convenient 2-pack format
- For use in freshwater and saltwater aquariums







FRESH

SPECIFICATIONS

	PKG.	ITEM#	MODEL	IN	MA	DESCRIPTION	QUANTITY		UPC CODES	
NEW		A187	107	12	72	BIO-FOAM MAX	2 PACK			
		A188	207, 307	12	60			0 15561 10187 5		
		A189	407	12	48				0" "15561"10188""2	0" " 15561"10189 " "9
	-	A220	107	12	144		2 PACK			
	0 25	A222	207, 307	12	72	BIO-FOAM		0 ¹¹⁵⁵⁶¹ 10220 ⁹		
		A226	407	12	48				0" " 15561"10222 3	0""15561"10226""1

RESIN INFUSED MEDIA PADS

Designed specifically for the Fluval 07 and canister filters, these pads are composed of a complex interwoven infused resin with embedded phosphate, nitrite or ammonia removers, which effectively trap floating waste and debris for a clean and clear aquarium.



CUSTOM FIT NO GAPS MEANS

NO WATER BYPASS

VERSATILE

- Maximized space for flexible media configurations
- Depending on amount needed, use individually or collectively stack for rapid control and reduction of heavy spikes
- Mix and match pads for complete protection



FRESH



2 IN 1 CHEMICAL AND MECHANICAL MEDIA

PHOSPHATE REMOVER NO PHOSPHATE = NO ALGAE

RUNAL PHOSPHATE

Har 177

- Improves water conditions for long lasting cleaner surfaces
- Reduces overall maintenance
 Eliminates cloudy water,
- odors and discoloration • Helps to create healthy
- living conditions

AMMONIA REMOVER HELPS PREVENT FISH LOSS



- Natural ion-exchange media designed to remove toxic ammonia
- Reduces stress on fish
- Ideal for new aquariums and those with higher fish stocks



NITRITE

- Effective at removing and reducing nitrite
- Reduces stress on fish
- Ideal for new aquariums and those with higher fish stocks

SPECIFICATIONS



DESIGN REFINEMENT SUMMARY

Fluval analyzed extensive consumer feedback and identified their top priorities before embarking on the 07 design: **A) Silent Operation, B) Easy Setup/Maintenance, C) Crystal Clear Water**. While we kept the same DNA of the previous 06 generation (retaining all of the features consumers loved), we created evolutionary refinements that were faster, stronger, better performing and easier to use than before.



SPECIFICATIONS

MODEL	107	207	307	407	
ITEM NO.	A441	A444	A447	A450	
UPC CODE	0 ¹¹⁵⁵⁶¹¹¹⁰⁴⁴¹¹¹⁸	0 ¹¹¹⁵⁵⁶¹¹¹⁰⁴⁴⁴ 9	0 15561 10447 0		
AQUARIUM*	40-130 L	60-220 L	90-330 L	150-500 L	
PUMP PERFORMANCE	550 L/H	780 L/H	1150 L/H	1450 L/H	
VERTICAL PRE-FILTER	514 CM ²	803 CM ²	803 CM ²	1074 CM ²	
BASKET VOLUME	1.2 L	1.8 L	3.1 L	4.2 L	
TOTAL CHAMBER VOLUME	2.0 L	3.1 L	4.5 L	6.0 L	
CANISTER VOLUME	3.9 L	5.3 L	7.3 L	9.2 L	
FILTER DIMENSIONS	19 X 18 X 35 CM	19 X 18 X 42 CM	24 X 18 X 42 CM	24 X 18 X 49 CM	
FILTER CIRCULATION**	360 L/H	460 L/H	780 L/H	930 L/H	
MAX WATER COLUMN HEIGHT	1.45 M	1.45 M	1.75 M	2.25 M	
WATTAGE - 230-240V/50HZ	10 W	10 W	15 W	20 W	

*AQUARIUM RECOMMENDATIONS ARE BASED ON EUROPEAN STANDARD AQUARIUM USAGE

**FLOW RATES WERE MEASURED WITH INTAKE AND OUTPUT HOSES OF THE SAME LENGTH

FUVAL AUTHENTIC FILTER MEDIA

YOUR FILTER IS ONLY AS EFFECTIVE AS THE MEDIA YOU USE

HIGH QUALITY

Our laboratories use premium-grade, long-lasting materials and compounds to ensure your aquarium water is healthy and contaminant-free.

MORE CONSISTENT

Fluval operates an extensive quality assurance program to achieve the highest media efficiency and dependability possible.

EXTRA EFFECTIVE Our media is custom made for your Fluval filter to effectively trap waste and debris. Non-authentic media can lead to irregularities or gaps that reduce performance.

ADDED PROTECTION

Using non-authentic media may pose a threat to the warranty coverage of your filter and its parts. If any piece of equipment is worth investment, it's your filter and filter media.



07 SERIES

	PKG.	ITEM#	07 MODEL	OLDER SERIES	IN	MA	NEW DESCRIPTION	OLD DESCRIPTION	UPC CODES
	-	A220	107	04 05 06	12	144		FOAM	
		A222 A226	207, 307 407		12 12	72 48	BIO-FOAM		0 15561 10220 9 0 15561 10222 3 0 15561 10226 1
		A187	107		12				
		A187	207, 307	06	12	72 60	ΒΙΟ-FOAM MAX	-	
NEW		A189	407		12	48			0 ¹¹⁵⁵⁶¹ 10187 ⁻⁵ 0 ¹¹⁵⁵⁶¹ 10188 ² 0 ¹¹⁵⁵⁶¹ 10189 ⁹
	-	A242	107, 207	04	12	48			
		A244	307, 407	05 06	12	48	QUICK-CLEAR	POLISHING PAD	0 15561 ¹ 10242 1 0 ¹ 15561 ¹ 10244 5
		A236	107, 207	04	12	72			
		A237	307, 407	05 06	12	72	BIO-FOAM+	BIO-FOAM	0 ^{15561¹10236¹⁰0 0^{115561¹10237¹⁰7}}
A		A263	107, 207	-	24	72	NITRITE		
NEW		A264	307, 407	-	12	48	REMOVER	-	$0^{ }$
NEW		A257	107, 207	-	24	72	AMMONIA	-	
		A258	307, 407	-	12	48	REMOVER		0
NEW		A260	107, 207	-	24	72	PHOSPHATE	-	
2		A261	307, 407	-	12	48	REMOVER		0 ^{115561⁴10260⁴5⁰^{115561⁴10261⁴2}}
		A1470	ALL 07 & FX	04 05 06	6	24	PRE-FILTER	PRE-FILTER	0"15561"11470"7
	and a	A1456	ALL	04 05	6	24	ΒΙΟΜΑΧ ΒΙΟΜΑΧ	RIOMAX	
	22	A1457	07 & FX	06	4	12	BIOTIAX	DIOMAX	$0^{ $
		A1465	ALL 07 & FX	04 05 06	1	24	AQUATIC PEAT	PEAT GRANULES	0 ¹¹⁵⁵⁶¹¹¹¹⁴⁶⁵ 3
		A1440	ALL	04 05	6	24	CARBON	CARBON	
	3.0	A1447	07 & FX	06	1	6	CARBON		0
		A1480	ALL 07 & FX	04 05 06	6	24	AMMONIA REMOVER	AMMONIA REMOVER	0 ¹¹⁵⁵⁶¹¹¹¹⁴⁸⁰¹ 6
		A1490	ALL 07 & FX	04 05 06	6	24	ZEO-CARB	ZEO-CARB	0 ¹¹⁵⁵⁶¹¹¹¹⁴⁹⁰¹ 5
		A1348	ALL 07 & FX	04 05 06	1	12	CLEARMAX	CLEARMAX	0

*ALL EXISTING SKU AND UPC CODES REMAIN UNCHANGED.

